

GARDENA

 DEL CONCA

**GARDENA**

# **ELEGANZA GLAMOUR**

## **GLAMOUR ELEGANCE**

*Distinctively glamour and rediscovered  
by interior designers, anthracite colour  
is an elegant colour to dress up both  
floor and walls.*

**HGR 8**









GARDENA

# UNA SCELTA RAFFINATA

## A REFINED CHOICE

*Greige is one of the most loved and popular colours of this time, with an indisputable natural elegance. Perfect for very bright rooms, since the light is actually highlighting its warmth and distinctiveness.*

HGR 9







GARDENA

# CLASSICO CONTEMPORANEO

## CONTEMPORARY CLASSIC

*Not only sophisticated but also moderate,  
white colour is perfectly suitable for very  
elegant solutions, making a perfect match  
between nature and architectural spaces.*

**HGR 10**











600 x 600 mm 24 x 24 in



600 x 600 mm 24 x 24 in





600 x 600 mm 24 x 24 in





CARATTERISTICHE TECNICHE TECHNICAL FEATURES • TECHNISCHE DATEN • CARACTÉRISTIQUES TECHNIQUES

## CONTRACT


|                                 |  |  |  |   |
|---------------------------------|--|--|--|---|
| GRES PORCELLANATO A TUTTA MASSA |  SPESSORE |  RESISTENZA AL GELO |  ASSORBIMENTO D'ACQUA |  CAMPO D'IMPIEGO CONSIGLIATO |
| THROUGH-BODY PORCELAIN TILE     | THICKNESS  | FROST RESISTANCE   | WATER ABSORPTION   | RECOMMENDED USE   |
|                                 | <b>8.5 mm</b>  | <b>RESISTANT</b><br>ISO 10545.12   | <b>~0.1%</b><br>ISO 10545.3  |                              |




|   |   |                 |                 |                 |                 |
|---|---|-----------------|-----------------|-----------------|-----------------|
|  |  | <b>HGR</b>      |                 | <b>HGR Grip</b> |                 |
| RESISTENZA CHIMICA  | RESISTENZA ALLO SCIVOLAMENTO  | ASCIUTTO        | BAGNATO         | ASCIUTTO        | BAGNATO         |
| CHEMICAL RESISTANCE   | SLIPPING RESISTANCE   | DRY             | WET             | DRY             | WET             |
| <b>GA</b><br>UNI EN ISO 10545.13  | DIN 51130   | <b>R 9</b>      | -               | <b>R 12</b>     | -               |
| <b>5</b><br>UNI EN ISO 10545.14   | DIN 51097   | -               | <b>B</b>        | -               | <b>C</b>        |
|   | ANSI 137.1 (DCOF)   | <b>&gt;0.40</b> | <b>≥0.42</b>    | <b>&gt;0.40</b> | <b>≥0.42</b>    |
|   | BCRA  |                 | <b>&gt;0.40</b> |                 | <b>&gt;0.40</b> |

### PACKAGE 600 x 600 mm

|   |        |         |
|---|--------|---------|
|  | Pieces | 5       |
|   | Mq.    | 1.80    |
|   | Kg.    | 33.75   |
|  | Boxes  | 32      |
|   | Mq.    | 57.60   |
|   | Kg.    | 1100.00 |

### SHADE VARIATION

|   |
|---|
|  |
| LOW MODERATE HIGH RANDOM  |

Price codes: /Mq. /Ml. /Pieces



© 2018 Ceramica del Conca S.p.A. All rights reserved.