

BOUTIQUE

 **DELCONCA**





HBO 20
Calacatta



HBO 5
Amani



Calacatta

HBO 20 (Shine)

600 x 600mm

23” 5/8 x 23” 5/8



Amani

HBO 5 (Shine)

600 x 600mm

23” 5/8 x 23” 5/8

Technical characteristics

Shade Variation

HIGH

MODERATE

HARD Through-body porcelain tile

		Established limits	Performances	Norms
	Thickness	10mm		
	Water Absorption	≤ 0.5%	~ 0.1%	EN ISO 10545-3
	Bending strength	Bruchlast	~50 N/mm ²	EN ISO 10545-4
	Frost resistance	Resistant	Frost proof	EN ISO 10545-12
	Resistance to thermal shock	Resistant	Resistant	EN ISO 10545-9
	Colour resistance to light exposure	Resistant	Resistant	DIN 51094
	Skid resistance	From R 9 to R 13	Only for Natural Surface	DIN 51130
		From A to C	Only for Natural Surface	DIN 51097
	Skid resistance_D-COF	≥ 0.42	Conforms	ANSI A 137.1:2012
	Skid resistance_B.C.R.A	≥ 0.40	Conforms	Metodo BCRA
		Established limits	Performances	Norms
	Chemical resistance	GB minimum	Conforms	EN ISO 10545-13
	Stain resistance	class 3 minimum	Conforms	EN ISO 10545-14
	Recommended use		 Shine	

	Pieces	Mq.	Kg.
60 x 60	4	1.44	31.80

	Pieces	Mq.	Kg.
60 x 60	32	46.08	1040.00

Reference values valid for almost all our collections. Browse through our website and look at our catalogues for further specifications.



© 2020 Ceramica del Conca Sp.A. All rights re-

