




NESTING

 **DEL CONCA**





Iceberg

HNS 15

600 x 600mm

23" 5/8 x 23" 5/8



Grey

HNS 5

600 x 600mm

23" 5/8 x 23" 5/8



Grey - HNS 5





Grey - HNS 5

Technical characteristics

Shade Variation

LOW

HARD Through-body porcelain tile

		Established limits	Performances	Norms
	Water Absorption	≤ 0.5%	~ 0.1%	EN ISO 10545-3
	Bending strength	Bruchlast	~50 N/mm ²	EN ISO 10545-4
	Frost resistance	Resistant	Frost proof	EN ISO 10545-12
	Resistance to thermal shock	Resistant	Resistant	EN ISO 10545-9
	Colour resistance to light exposure	Resistant	Resistant	DIN 51094
	Skid resistance	From R 9 to R 13	R10	EN 16165
		From A to C	B	EN 16165
	Skid resistance_D-COF	≥ 0.42	Conforms	ANSI A 326.3:2022
	Skid resistance_B.C.R.A	≥ 0.40	Conforms	Metodo BCRA
		Established limits	Performances	Norms
	Chemical resistance	GB minimum	Conforms	EN ISO 10545-13
	Stain resistance	class 3 minimum	Conforms	EN ISO 10545-14
	Recommended use			

	Pieces	Mq.	Kg.
60 x 60	4	1.44	25

	Pieces	Mq.	Kg.
60 x 60	40	57.60	1020.00

Reference values valid for almost all our collections. Browse through our website and look at our catalogues for further specifications.

